

LED LIGHTS WIFI



PANELS
FRESNELS
LIGHTS

 **FOMEI**





QUICK AND EASY SYSTEM CONTROL THROUGH AN APP

The L - Control app for iOS and Android makes the LED WIFI lights rank among the most modern lights in the world.

Convenient and fast control of all LED lights functions makes the job of a filmmaker and photographer more efficient.

Controlling 1 to 10 LED WIFI lights from one place.

Intuitive control through an LCD touch panel.

A COMPREHENSIVE SYSTEM OF LIGHTS AND ACCESSORIES

A modern lighting system which includes Fresnel LED WIFI lights, LED panels and lights with a FOMEI/BOWENS bayonet.

Thanks to a wide range of accessories, it is possible to soften and shape the light of the 210B and 100B LED WIFI lights.

With softboxes in all shapes available, reflectors, and dyed filters, there are no limits to the creativity of demanding film and photographic projects.

UNIVERSAL COLOURS

All lights in the LED WIFI system generate a colour temperature of 3,000 to 5,000 K.

LED WIFI PANELS




RC - WIFI, receiver

⌘ FY3469

LED WIFI 150D

⌘ FY3468



LED WIFI 36D

🛒 FY3466



Accumulator Fomei BP-L60 Li-ion
14.4V 9200mAh 132Wh
(Sony V-Mount)

🛒 FY9136

Charger Profi for 2 V-mount Sony accumulators

🛒 FY9137

LED WIFI 100D

🛒 FY3467



- App for iOS/Android
- CRI 95
- 3000 -8000 K
- Power Supply AC adapter and V-mount battery

LED WIFI FRESNELS



LED WIFI 750 W FRESNEL

¥FY3479



LED WIFI 480 W FRESNEL

¥FY3472



LED WIFI 300 W FRESNEL

¥FY3471

LED WIFI 160 W FRESNEL

¥FY3470



App FOMEI L - Control for iOS/Android

EFFICIENT

- Light beam angle 20° to 60°
- LED chip life expectancy 50,000 hrs.

UNIVERSAL

- CRI 95
- 3000 - 8000 K



RC - WIFI, receiver

⌘ FY3469

LED WIFI LIGHTS

LED WIFI 210B

🛒 FY3473

LED WIFI 100B

🛒 FY3494



CRI 95
Color Temperature
3000 - 8000 K



UNIVERSAL
CONSTRUCTION

CLEAR

COST-EFFECTIVE

CREATIVE
ACCESSORIES

Thanks to a variable construction of the flash body, the LCD panel is always turned in a way which makes it easy to read.

LCD touch panel, L - Control app.

LED chip life expectancy 50,000 hrs.

A focusing Spot reflector with a set of colour filters.

An extensive offer of 6 softbox ranges which help create a lot of types of soft, hard, as well as reflected light.

A system of reflectors, honeycomb filters and 4-piece flaps.

Colour, correction and conversion filters.

Accessories for LED WIFI 210B/100B

Reflectors



賈 FY3416
Spot
Reflector
17 cm



賈 FY7777
Standard
Reflector
16.5 cm



賈 FY7509
Reflector
21 cm



賈 FY7511
Reflector
33 cm



賈 FY7510
Beauty
Dish



賈 FY7507
Background
Reflector



賈 FY7488
Snoot
Reflector
7 cm

Softboxes



賈 FY7534
Recta Box
140 x 200 cm



賈 FY7532
Recta Box
100 x 140 cm



賈 FY7531
Recta Box
90 x 120 cm




賈 FY7530
Recta Box
75 x 100 cm




賈 FY7529
Recta Box
60 x 85 cm




賈 FY7557
Octa Box
200 cm



賈 FY3565
Click Box
Zoom 180 cm



賈 FY3564
Click Box
Zoom 140 cm



賈 FY3563
Click Box
Zoom 120 cm



賈 FY3562
Click Box
180 cm



賈 FY3561
Click Box
140 cm



FY7506
Shoot
Reflector
5cm



FY7512
Plastic
Cover



FY7513
Barn Door
16.5 cm



FY7514
Barn Door
21 cm



FY7515
Barn Door
43 cm



FY7591
Textile plate
for Beauty
Dish
43 cm



FY7521
Color filter
set
7 colors/
16.5 cm



38 HT
Color Filters
Kits, Sheets, Rolls
Check full offer
www.fomei.com



FY7556
Octa Box
150 cm



FY7555
Octa Box
120 cm



FY7554
Octa Box
90 cm



FY7540
Square Box
100 x 100 cm



FY7539
Square Box
80 x 80 cm



FY7538
Square Box
60 x 60 cm



FY7719
Square Box
45 x 45 cm



FY3560
Click Box
120 cm



FY7555
Strip Box
30 x 180 cm



FY7554
Strip Box
60 x 120 cm



FY7540
Strip Box
40 x 120 cm



FY7539
Strip Box
30 x 90 cm



FY7538
Strip Box
30 x 60 cm

Parameters



	LED WIFI - 150 FY3468	LED WIFI - 100 FY3467
Power	150 W	100 W
LUX	0,5 m/35 800; 1 m/13 800; 2 m/3470	0,5 m/34 800; 1 m/12 700; 2 m/3 200
CRI	95	95
Light beam angle	45°	45°
Control Range of Power	0 - 100%, 100 steps	0 - 100%, 100 steps
LED diods	300 pcs x 0.5W	200 pcs x 0.5W
Flicker Free	Yes	Yes
Colour Temperature	3000 - 8000 K	3000 - 8000 K
Wifi receiver	FY3469 RC-WIFI (not included)	FY3469 RC-WIFI (not included)
Remote Control	App FOMEI L - Control for iOs/Android	App FOMEI L - Control for iOs/Android
Cooling	Yes, fan	Yes, fan
Dimension (L x W x H)	455 x 340 x 620mm	450 x 240 x 620mm
Weight	3.2kg	3.1 kg

Parameters



LED WIFI - 36 FY3466	LED WIFI - 210B FY3473	LED WIFI - 100B FY3494
36 W	210 W	100 W
0,5 m/9 950; 1 m/ 2 900; 2 m/735	0,5/15300, 1m/5060, 2m/1150	0,5/6950, 1m/1760, 2m/482
95	95	95
45°	60°	60°
0 - 100%, 100 steps	0 - 100%, 100 steps	0 - 100%, 100 steps
600 pcs x 0,06W	1 x LED chip 210 W	1 x LED chip 100 W
Yes	Yes	Yes
3000 - 8000 K	3000 - 8000 K	3000 - 8000 K
FY3469 RC-WIFI (not included)	Inside the body	Inside the body
App FOMEL L - Control for iOS/Android	App FOMEL L - Control for iOS/Android	App FOMEL L - Control for iOS/Android
Yes, fan	Yes, fan	Yes, fan
340 x 235 x 620mm	540 x 125 x 130mm	270 x 120 x 130mm
1.8kg	4 kg	2.6kg

Parameters



	LED WIFI 750F Fresnel FY3479	LED WIFI 480F Fresnel FY3472
Power	750 W	480 W
Lux	2 m/15182, 3m 5663, 5 m/2072	1 m/43800, 3 m/4540, 5 m/1610
CRI	95	95
Light beam angle	20° to 60°	20° to 60°
Control Range of Power	0 - 100%, 100 steps	0 - 100%, 100 steps
LED diods	1 x LED chip 750 W	1 x LED chip 480 W
Optical System	Focusable Fresnel	Focusable Fresnel
Flicker Free	Yes	Yes
Lens Diameter:	250mm	175mm
Colour Temperature	3000 - 8000 K	3000 - 8000 K
WIFI Receiver	FY3469 RC-WIFI (not include)	FY3469 RC-WIFI (not include)
Remote Control	App FOMEI L - Control for iOs/Android	App FOMEI L - Control for iOs/Android
Cooling	Yes, fan	Yes, fan
Dimension (L x W x H)	517 x 464 x 536mm	470 x 240 x 350 mm
Weight	27,7 kg	15,2kg

Parameters



	LED WIFI 300F Fresnel FY3471	LED WIFI 160F Fresnel FY3470
Power	300 W	160 W
Lux	1 m/27000, 3 m/2740, 5 m/976	1 m/13600, 3 m/1800, 5 m/666
CRI	95	95
Light beam angle	20° to 60°	20° - 60°
Control Range of Power	0 - 100%, 100 steps	0 - 100%, 100 steps
LED diods	1 x LED chip 300 W	1 x LED chip 160 W
Optical System	Focusable Fresnel	Focusable Fresnel
Flicker Free	Yes	Yes
Lens Diameter:	175mm	120mm
Colour Temperature	3000 - 8000 K	3000 - 8000 K
WIFI Receiver	FY3469 RC-WIFI (not include)	FY3469 RC-WIFI (not include)
Remote Control	App FOMEI L - Control for iOs/Android	App FOMEI L - Control for iOs/Android
Cooling	Yes, fan	Yes, fan
Dimension (L x W x H)	440 x 240 x 340mm	370 x 180 x 220mm
Weight	14,7 kg	7,3kg



FOMEI s.r.o.

U Libeňského pivovaru 2015/10

180 00 Prague 8

Czech Republic

sls@fomei.com

www.fomei.com

facebook.com/fomeiCZ

instagram.com/fomei

