

LED lights
LED MINI 15W
LED MINI 30W

FY3580
FY3581



USER GUIDE

 **FOMEI**

Welcome to the FOMEI family!

Before first use, read this manual first.

If you have any questions, feel free to contact us:

E-mail: sls@fomei.com

Website: www.fomei.com

Warning before use:

1. Make sure that the product is intact and that there are no missing parts.
2. In case of damage, contact a professional service FOMEI.
3. Keep the environment dry and ventilated when using the product.
4. For the best performance of the product, keep the product clean by clean.
5. Do not scratch or apply pressure to the product.

Safety warning:

1. Keep this product out of reach the rain or humidity to avoid damage or injury.
2. Do not disassemble the product. In case of damage contact a service FOMEI or contractual service with trained professionals.
3. If the product is disassembled, you will not be covered under warranty.
4. Do not use the product in extreme temperatures (+ 50C).
5. The product is not suitable for children.
6. Do not plug/unplug when the power is still connected.
7. Do not burden light more than necessary



RECYCLING

This product contains electronic parts. Do not throw it into the rubbish bin, take it to the electronic recycling facility. Please, protect our planet.

TABLE OF CONTENT

A. ABOUT PRODUCT

B. PRODUCT OVERVIEW

C. PRODUCT USAGE

D. TECHNICAL INFORMATIONS

E. RECOMMENDED ACCESSORIES

A. ABOUT PRODUCT

LED MINI lights are compact and high performance LED lights designed for photography and video shooting. They find their use primarily in creative lighting of small scenes or shooting interviews, when a portable and compact light source and strong luminous flux are needed. It is easy to handle the light and at the same time the light can be attached to a light stand. The light is very quiet due to passive cooling, which is sufficient for normal light operation in most conditions. Color temperature of the light is 5 600K.



B. PRODUCT OVERVIEW



1. Control knob
2. Hotshoe mount
3. NP-F slot
4. AC adaptor connector
5. Stand mount



- 1. Handle
- 2. Tilt
- 3. Control box mount
- 4. Stand mount
- 5. Control knob
- 6. Power button (AC-off-Batt)
- 7. AC adaptor connector
- 8. V-Mount
- 9. Light angle knob
- 10. Control box connector



C. PRODUCT USAGE

LED MINI 15W

1. Make sure the light is off before connecting the cable or battery.
2. You can use the light from your hand or mount it on a stand.
3. Connect the cable / battery and turn on the light.
4. Light output power can be adjusted from 0% to 100% using the rotary knob.
5. Light beam angle can be adjusted by flaps.
6. Optional accessory kit for light: Catalog number FY3582
- 6.1 Accessories include: Color filters, flaps, Honeycomb grid, spherical diffuser, snoot reflector with honeycomb grid and softbox

LED MINI 30W

1. Make sure the light is off before connecting the cable or battery.
2. You can use the light from your hand or mount it on a stand.
3. You can hang the separate control unit on the stand by the catch cord or attach it directly to the light arm.
3. Connect the cable / battery and turn on the light.
4. Light output power can be adjusted from 0% to 100% using the rotary knob.
5. Light beam angle can be adjusted by turning the knob on the back of the light.
6. Optional accessory kit for light: Catalog number FY3582
- 6.1 Accessories include: Color filters, flaps, Honeycomb grid, spherical diffuser, snoot reflector with honeycomb grid and softbox



LED MINI accessories
FY3582

D. TECHNICAL INFORMATIONS

Power	15W / 30W
LUX	15W 0,5m 3750 / 1m 993 / 2m 275 30W Flood: 0,5m 9420 / 1m 2310 / 2m 591 Spot: 0,5m 34700 / 1m 8290 / 2m 2130
Color temperature	5600K
Voltage	AC (AC 100V-240V) / V-Mount
Size (L x W x H)	15W: Ø 10 x 11.2 cm 30W: 18x14.5x26 cm
Weight	15W: 538g 30W: 1,5Kg
CRI	95+
LED diods	1x15W / 1x30W LED chip

E. RECOMMENDED ACCESSORIES



LS-10B Stand
FY3512



LS-13B Stand
FY3513



FOMEI HT filters
ZC8490 - ZC8496

FOMEI s.r.o.

Machkova 587
500 11 Hradec Králové
sls@fomei.com
www.fomei.com

FOMEI Slovakia s.r.o
Za Kasárňou 1
831 03 Bratislava
info@fomei.sk
www.fomei.sk

FOMEI Servis
Tel.: +420 495 056 505
E-mail: servis@fomei.com

